



Certificate of Conformity

Certificate No.: 2188AP050459001
Equipment: SOLAR INVERTER
Brand Name:  HUAWEI
Test Model No.: SUN2000-3KTL-M0, SUN2000-4KTL-M0, SUN2000-5KTL-M0, SUN2000-6KTL-M0, SUN2000-8KTL-M0, SUN2000-10KTL-M0, SUN2000-3KTL-M1, SUN2000-4KTL-M1, SUN2000-5KTL-M1, SUN2000-6KTL-M1, SUN2000-8KTL-M1, SUN2000-10KTL-M1
Applicant: Huawei Technologies Co., Ltd.
Administration Building, Headquarters of Huawei Technologies Co., Ltd., Bantian, Longgang District, Shenzhen, 518129, P.R.C
Report No.: PV180906N022-1-R2, PV180906N022-R2

Use in accordance with regulations:

Automatic disconnection device with three-phases mains surveillance in accordance with IEC 61727:2004 for photovoltaic systems with a three-phases parallel coupling via an inverter in the public mains supply. The automatic disconnection device is an integral part of the aforementioned inverters.

At the time of issue of this certificate the safety concept of an aforementioned representative product corresponds to the valid safety specifications for the specified use in accordance with regulations.

Applied rules and standards

IEC 61727:2004	Characteristics of the utility interface
IEC 62116:2014	Islanding prevention measures for utility-interconnected photovoltaic inverters

Name: Ken Chan 
Technical Manager/ New Energy Team
Date: 2021-06-25

This document shall not be reproduced, except in full, without the written approval of Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.
Information given in this document is related to the tested specimen of the described electrical sample.